

Valued Constraints over Infinite Domains

Žaneta Semanišínová

joint work with Manuel Bodirsky, Édouard Bonnet, and Carsten Lutz

Institute of Algebra
TU Dresden

Research Seminar in Discrete Mathematics and Algebra
TU Freiberg
5 Feb 2025



ERC Synergy Grant POCOCOP (GA 101071674)

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs
- 4 Resilience problems
- 5 Outlook to the future

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs
- 4 Resilience problems
- 5 Outlook to the future

Optimization problems

- **least correlation clustering**

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

Optimization problems

- **least correlation clustering**

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

- **minimum feedback arc set**

Input: a directed multigraph G , threshold u

Output: Can we remove at most u edges from G destroying all directed cycles?

Optimization problems

- **least correlation clustering**

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

- **minimum feedback arc set**

Input: a directed multigraph G , threshold u

Output: Can we remove at most u edges from G destroying all directed cycles?

- **resilience**

Fixed: conjunctive query q

Input: a database \mathcal{A} , threshold u

Output: Can we remove at most u tuples from \mathcal{A} so that $\mathcal{A} \not\models q$?

Optimization problems

- **least correlation clustering** NP-complete
Input: constraints of the form $x = y$ and $x \neq y$, threshold u
Output: Can we assign values to the variables violating at most u constraints?
- **minimum feedback arc set** NP-complete
Input: a directed multigraph G , threshold u
Output: Can we remove at most u edges from G destroying all directed cycles?
- **resilience** in NP, depends on q
Fixed: conjunctive query q
Input: a database \mathcal{A} , threshold u
Output: Can we remove at most u tuples from \mathcal{A} so that $\mathcal{A} \not\models q$?

P = class of **efficiently solvable** problems

NP = class of problems with **efficiently verifiable** solution

NP-complete problems = **hardest** problems in NP

Constraint satisfaction variants

\mathfrak{B} – **fixed** relational structure

Input: list of constraints

Constraint satisfaction variants

\mathfrak{B} – fixed relational structure

Input: list of constraints

Output:

- **CSP:** Decide whether there is a solution that satisfies all constraints.

Constraint satisfaction variants

\mathfrak{B} – fixed relational structure

Input: list of constraints

Output:

- **CSP:** Decide whether there is a solution that satisfies all constraints.
- **MinCSP:** Find the minimal number of constraints to violate so that the remaining constraints are satisfiable simultaneously.

Constraint satisfaction variants

\mathfrak{B} – fixed relational structure

Input: list of constraints

Output:

- **CSP:** Decide whether there is a solution that satisfies **all** constraints.
- **MinCSP:** Find the **minimal number** of constraints to violate so that the remaining constraints are satisfiable simultaneously.
- **VCSP:** Find the **minimal cost** with which the constraints can be satisfied (each constraint comes with a cost depending on the chosen values).

Constraint satisfaction variants

\mathfrak{B} – **fixed** relational structure

Input: list of constraints

Output:

- **CSP:** Decide whether there is a solution that satisfies **all** constraints.
- **MinCSP:** Find the **minimal number** of constraints to violate so that the remaining constraints are satisfiable simultaneously.
- **VCSP:** Find the **minimal cost** with which the constraints can be satisfied (each constraint comes with a cost depending on the chosen values).

Observation: VCSP **generalizes** CSP and MinCSP.

Proof: Model the tuples in relations with cost 0 and outside with cost 1 (for MinCSP) or ∞ (for CSP).

Valued Constraint Satisfaction Problem

Valued Constraint Satisfaction Problem

A **valued structure** Γ consists of:

- (countable) domain D
- (finite, relational) signature τ
- for each $R \in \tau$ of arity k , a function $R^\Gamma: D^k \rightarrow \mathbb{Q} \cup \{\infty\}$

Valued Constraint Satisfaction Problem

A **valued structure** Γ consists of:

- (countable) domain D
- (finite, relational) signature τ
- for each $R \in \tau$ of arity k , a function $R^\Gamma: D^k \rightarrow \mathbb{Q} \cup \{\infty\}$

Definition (VCSP(Γ))

Input: $u \in \mathbb{Q}$, an expression

$$\phi(x_1, \dots, x_n) = \sum_i \psi_i,$$

where each ψ_i is an atomic τ -formula

Output: Is

$$\inf_{t \in D^n} \phi(t) \leq u \text{ in } \Gamma?$$

Example: Max-Cut as a VCSP

Input: $G = (V, E)$ – finite directed (multi)graph

Goal: Find a partition $A \cup B$ of V such that $E \cap (A \times B)$ is maximal.

Equivalently: $E \cap (A^2 \cup B^2 \cup B \times A)$ is minimal.

Example: Max-Cut as a VCSP

Input: $G = (V, E)$ – finite directed (multi)graph

Goal: Find a partition $A \cup B$ of V such that $E \cap (A \times B)$ is maximal.

Equivalently: $E \cap (A^2 \cup B^2 \cup B \times A)$ is minimal.

Let Γ_{MC} be a valued structure where:

- $D = \{0, 1\}$
- $\tau = \{R\}$, R binary

$$R(x, y) = \begin{cases} 0 & \text{if } x = 0 \text{ and } y = 1 \\ 1 & \text{otherwise} \end{cases}$$

Example: Max-Cut as a VCSP

Input: $G = (V, E)$ – finite directed (multi)graph

Goal: Find a partition $A \cup B$ of V such that $E \cap (A \times B)$ is maximal.

Equivalently: $E \cap (A^2 \cup B^2 \cup B \times A)$ is minimal.

Let Γ_{MC} be a valued structure where:

- $D = \{0, 1\}$
- $\tau = \{R\}$, R binary

$$R(x, y) = \begin{cases} 0 & \text{if } x = 0 \text{ and } y = 1 \\ 1 & \text{otherwise} \end{cases}$$

Take vertices of G as variables. The size of a maximal cut of G is

$$\min_{x \in D^n} \sum_{(x_i, x_j) \in E} R(x_i, x_j). \text{ The partition of } V \text{ is given by the values 0 and 1.}$$

Example: Max-Cut as a VCSP

Input: $G = (V, E)$ – finite directed (multi)graph

Goal: Find a partition $A \cup B$ of V such that $E \cap (A \times B)$ is maximal.

Equivalently: $E \cap (A^2 \cup B^2 \cup B \times A)$ is minimal.

Let Γ_{MC} be a valued structure where:

- $D = \{0, 1\}$
- $\tau = \{R\}$, R binary

$$R(x, y) = \begin{cases} 0 & \text{if } x = 0 \text{ and } y = 1 \\ 1 & \text{otherwise} \end{cases}$$

Take vertices of G as variables. The size of a maximal cut of G is

$$\min_{x \in D^n} \sum_{(x_i, x_j) \in E} R(x_i, x_j). \text{ The partition of } V \text{ is given by the values 0 and 1.}$$

every instance of $\text{VCSP}(\Gamma_{MC})$ corresponds to a directed multigraph

$\rightsquigarrow \text{VCSP}(\Gamma_{MC})$ is the Max-Cut problem (NP-hard)

Revisiting problems from the start

- **least correlation clustering** = $\text{VCSP}(\mathbb{N}; (=)_0^1, (\neq)_0^1)$

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

Revisiting problems from the start

- **least correlation clustering** = $\text{VCSP}(\mathbb{N}; (=)_0^1, (\neq)_0^1)$

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

- **minimum feedback arc set** = $\text{VCSP}(\mathbb{Q}; (<)_0^1)$

Input: a directed multigraph G , threshold u

Output: Can we remove at most u edges from G destroying all directed cycles?

Revisiting problems from the start

- **least correlation clustering** = $\text{VCSP}(\mathbb{N}; (=)_0^1, (\neq)_0^1)$

Input: constraints of the form $x = y$ and $x \neq y$, threshold u

Output: Can we assign values to the variables violating at most u constraints?

- **minimum feedback arc set** = $\text{VCSP}(\mathbb{Q}; (<)_0^1)$

Input: a directed multigraph G , threshold u

Output: Can we remove at most u edges from G destroying all directed cycles?

- **resilience**

Fixed: conjunctive query q

Input: a database \mathfrak{A} , threshold u

Output: Can we remove at most u tuples from \mathfrak{A} so that $\mathfrak{A} \not\models q$?

↪ **not obvious** how to **model** as a **VCSP**

Complexity of VCSPs

Theorem (Kozik, Ochremiak '15; Kolmogorov, Rolínek, Krokhin '15; Bulatov '17; Zhuk '17)

Let Γ be a valued structure with a *finite domain*. Then $\text{VCSP}(\Gamma)$ is in P or NP -complete.

Complexity of VCSPs

Theorem (Kozik, Ochremiak '15; Kolmogorov, Rolínek, Krokhin '15; Bulatov '17; Zhuk '17)

Let Γ be a valued structure with a *finite domain*. Then $\text{VCSP}(\Gamma)$ is in P or NP -complete.

Goal: Study *complexity* of 'tame enough' *infinite-domain VCSPs*.

Complexity of VCSPs

Theorem (Kozik, Ochremiak '15; Kolmogorov, Rolínek, Krokhin '15; Bulatov '17; Zhuk '17)

Let Γ be a valued structure with a *finite domain*. Then $\text{VCSP}(\Gamma)$ is in *P* or *NP-complete*.

Goal: Study *complexity* of 'tame enough' *infinite-domain VCSPs*.

Definition

Γ – valued structure on a *countable* domain C over a signature τ

- *automorphism* of Γ – *permutation* α of C such that for $R \in \tau$ of arity k and every $t \in C^k$, $R(\alpha(t)) = R(t)$

Complexity of VCSPs

Theorem (Kozik, Ochremiak '15; Kolmogorov, Rolínek, Krokhin '15; Bulatov '17; Zhuk '17)

Let Γ be a valued structure with a *finite domain*. Then $\text{VCSP}(\Gamma)$ is in P or NP -complete.

Goal: Study *complexity* of 'tame enough' *infinite-domain VCSPs*.

Definition

Γ – valued structure on a *countable* domain C over a signature τ

- *automorphism* of Γ – *permutation* α of C such that for $R \in \tau$ of arity k and every $t \in C^k$, $R(\alpha(t)) = R(t)$
- $\text{Aut}(\Gamma)$ is *oligomorphic* – the action of $\text{Aut}(\Gamma)$ on C^n has *finitely many orbits* for every $n \geq 1$

Complexity of VCSPs

Theorem (Kozik, Ochremiak '15; Kolmogorov, Rolínek, Krokhin '15; Bulatov '17; Zhuk '17)

Let Γ be a valued structure with a *finite domain*. Then $\text{VCSP}(\Gamma)$ is in P or NP -complete.

Goal: Study *complexity* of 'tame enough' *infinite-domain VCSPs*.

Definition

Γ – valued structure on a *countable* domain C over a signature τ

- *automorphism* of Γ – *permutation* α of C such that for $R \in \tau$ of arity k and every $t \in C^k$, $R(\alpha(t)) = R(t)$
- $\text{Aut}(\Gamma)$ is *oligomorphic* – the action of $\text{Aut}(\Gamma)$ on C^n has *finitely many orbits* for *every* $n \geq 1$

Example: $\text{Aut}(\mathbb{Q}; (<)_0^1) = \text{Aut}(\mathbb{Q}; <)$ is oligomorphic.

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs
- 4 Resilience problems
- 5 Outlook to the future

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

$$\text{Feas}(R) := \{t \mid R(t) < \infty\}$$

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

$\text{Feas}(R) := \{t \mid R(t) < \infty\}$

$\text{Opt}(R) := \{t \in \text{Feas}(R) \mid R(t) \leq R(s) \text{ for every } s \in C^k\}$

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

$\text{Feas}(R) := \{t \mid R(t) < \infty\}$

$\text{Opt}(R) := \{t \in \text{Feas}(R) \mid R(t) \leq R(s) \text{ for every } s \in C^k\}$

$\langle \Gamma \rangle$ – smallest superset of valued relations of Γ closed under forming **sums** of atomic expressions, **projecting**, **shifting**, **non-negative scaling**, **Feas**, **Opt**
 \leftrightarrow valued relations **expressible** in Γ

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

$$\text{Feas}(R) := \{t \mid R(t) < \infty\}$$

$$\text{Opt}(R) := \{t \in \text{Feas}(R) \mid R(t) \leq R(s) \text{ for every } s \in C^k\}$$

$\langle \Gamma \rangle$ – smallest superset of valued relations of Γ closed under forming **sums** of atomic expressions, **projecting**, **shifting**, **non-negative scaling**, **Feas**, **Opt**
 \leftrightarrow valued relations **expressible** in Γ

$$\langle \Gamma \rangle_0^\infty := \{R \in \langle \Gamma \rangle \mid \forall t: R(t) \in \{0, \infty\}\}$$

Expressibility for valued relations

Definition

Let R, R' be valued relations over set C . R' is **expressed** from R by

- **projecting** if $R'(x) = \inf_y R(x, y)$;
- **non-negative scaling** if $R' = aR$ for some $a \in \mathbb{Q}_{\geq 0}$;
- **shifting** if $R' = R + b$ for some $b \in \mathbb{Q}$.

$$\text{Feas}(R) := \{t \mid R(t) < \infty\}$$

$$\text{Opt}(R) := \{t \in \text{Feas}(R) \mid R(t) \leq R(s) \text{ for every } s \in C^k\}$$

$\langle \Gamma \rangle$ – smallest superset of valued relations of Γ closed under forming **sums** of atomic expressions, **projecting**, **shifting**, **non-negative scaling**, **Feas**, **Opt**
 \leftrightarrow valued relations **expressible** in Γ

$$\langle \Gamma \rangle_0^\infty := \{R \in \langle \Gamma \rangle \mid \forall t: R(t) \in \{0, \infty\}\}$$

Fact (Bodirsky, S., Lutz '24): If $\text{Aut}(\Gamma)$ is **oligomorphic** and $R \in \langle \Gamma \rangle$, $\text{VCSP}(\Gamma; R)$ **reduces** to $\text{VCSP}(\Gamma)$ in **poly-time**.

Pp-constructability

pp-construction – a notion of ‘**translating**’ relations of one valued structure into relations of another (generalizes expressibility to different domains)

pp-constructability

pp-construction – a notion of ‘translating’ relations of one valued structure into relations of another (generalizes expressibility to different domains)

Fact: If $\text{Aut}(\Gamma)$ is oligomorphic and Γ pp-constructs Δ , then $\text{VCSP}(\Delta)$ reduces to $\text{VCSP}(\Gamma)$ in poly-time.


Pp-constructability

pp-construction – a notion of ‘**translating**’ relations of one valued structure into relations of another (generalizes expressibility to different domains)

Fact: If $\text{Aut}(\Gamma)$ is **oligomorphic** and Γ **pp-constructs** Δ , then $\text{VCSP}(\Delta)$ **reduces** to $\text{VCSP}(\Gamma)$ in **poly-time**.

K_3 is the valued structure on $\{0, 1, 2\}$ with single binary relation E defined:

$$E(x, y) = \begin{cases} 0 & \text{if } x \neq y \\ \infty & \text{if } x = y \end{cases}$$



Observation: $\text{VCSP}(K_3)$ is the 3-colorability problem and hence NP-hard.


Pp-constructability

pp-construction – a notion of ‘**translating**’ relations of one valued structure into relations of another (generalizes expressibility to different domains)

Fact: If $\text{Aut}(\Gamma)$ is **oligomorphic** and Γ **pp-constructs** Δ , then $\text{VCSP}(\Delta)$ **reduces** to $\text{VCSP}(\Gamma)$ in **poly-time**.

K_3 is the valued structure on $\{0, 1, 2\}$ with single binary relation E defined:

$$E(x, y) = \begin{cases} 0 & \text{if } x \neq y \\ \infty & \text{if } x = y \end{cases}$$



Observation: $\text{VCSP}(K_3)$ is the 3-colorability problem and hence NP-hard.

Corollary (Bodirsky, S., Lutz '24)

If $\text{Aut}(\Gamma)$ is **oligomorphic** and Γ **pp-constructs** K_3 , then $\text{VCSP}(\Gamma)$ is **NP-hard**.

Fractional polymorphisms

polymorphism of a relational structure $\mathfrak{A} - f : A^n \rightarrow A$ such that for all relations R of \mathfrak{A} and $t^1, \dots, t^n \in R$, $f(t^1, \dots, t^n) \in R$ (applied row-wise)

Fractional polymorphisms

polymorphism of a relational structure $\mathfrak{A} - f : A^n \rightarrow A$ such that for all relations R of \mathfrak{A} and $t^1, \dots, t^n \in R$, $f(t^1, \dots, t^n) \in R$ (applied row-wise)

Example: The operation \min is a polymorphism of $(\mathbb{Q}; <)$.

$$\begin{pmatrix} 1 \\ \wedge \\ 5 \end{pmatrix} \quad \begin{pmatrix} 2 \\ \wedge \\ 3 \end{pmatrix} \xrightarrow{\min} \begin{pmatrix} 1 \\ \wedge \\ 3 \end{pmatrix}$$

Fractional polymorphisms

polymorphism of a relational structure $\mathfrak{A} - f : A^n \rightarrow A$ such that for **all relations** R of \mathfrak{A} and $t^1, \dots, t^n \in R$, $f(t^1, \dots, t^n) \in R$ (applied row-wise)

Example: The operation \min is a polymorphism of $(\mathbb{Q}; <)$.

$$\begin{pmatrix} 1 \\ \wedge \\ 5 \end{pmatrix} \quad \begin{pmatrix} 2 \\ \wedge \\ 3 \end{pmatrix} \begin{matrix} \xrightarrow{\min} \\ \\ \xrightarrow{\min} \end{matrix} \begin{pmatrix} 1 \\ \wedge \\ 3 \end{pmatrix}$$

Definition (fractional polymorphism)

A **fractional polymorphism** of Γ of arity n is a probability distribution ω on the maps $f : C^n \rightarrow C$ such that for every k -ary $R \in \tau$ and $t^1, \dots, t^n \in C^k$

$$E_\omega[f \mapsto R(f(t^1, \dots, t^n))] \leq \frac{1}{n} \sum_{j=1}^n R(t^j) \quad (\omega \text{ improves } R).$$

Fractional polymorphisms

$\text{Pol}(\mathfrak{A})$ – set of all **polymorphisms** of \mathfrak{A}

$\text{fPol}(\Gamma)$ – set of all **fractional polymorphisms** of Γ

Fractional polymorphisms

$\text{Pol}(\mathcal{A})$ – set of all **polymorphisms** of \mathcal{A}

$\text{fPol}(\Gamma)$ – set of all **fractional polymorphisms** of Γ

Example:

π_i^n (n -ary projection to i -th coordinate) $\in \text{Pol}(\mathcal{A})$ for every \mathcal{A} .

Fractional polymorphisms

$\text{Pol}(\mathfrak{A})$ – set of all **polymorphisms** of \mathfrak{A}

$\text{fPol}(\Gamma)$ – set of all **fractional polymorphisms** of Γ

Example:

π_i^n (n -ary projection to i -th coordinate) $\in \text{Pol}(\mathfrak{A})$ for every \mathfrak{A} .

Id_n – fractional operation such that $\text{Id}_n(\pi_i^n) = 1/n$ for every i

Fractional polymorphisms

$\text{Pol}(\mathfrak{A})$ – set of all **polymorphisms** of \mathfrak{A}

$\text{fPol}(\Gamma)$ – set of all **fractional polymorphisms** of Γ

Example:

π_i^n (n -ary projection to i -th coordinate) $\in \text{Pol}(\mathfrak{A})$ for every \mathfrak{A} .

Id_n – fractional operation such that $\text{Id}_n(\pi_i^n) = 1/n$ for every i

$\text{Id}_n \in \text{fPol}(\Gamma)$ for every Γ .

$$E_\omega[f \mapsto R(f(a^1, \dots, a^n))] = \frac{1}{n} \sum_{i=1}^n R(\pi_i^n(a^1, \dots, a^n)) = \frac{1}{n} \sum_{i=1}^n R(a^i).$$

Fractional polymorphisms

$\text{Pol}(\mathfrak{A})$ – set of all **polymorphisms** of \mathfrak{A}

$\text{fPol}(\Gamma)$ – set of all **fractional polymorphisms** of Γ

Example:

π_i^n (n -ary projection to i -th coordinate) $\in \text{Pol}(\mathfrak{A})$ for every \mathfrak{A} .

Id_n – fractional operation such that $\text{Id}_n(\pi_i^n) = 1/n$ for every i

$\text{Id}_n \in \text{fPol}(\Gamma)$ for every Γ .

$$E_\omega[f \mapsto R(f(a^1, \dots, a^n))] = \frac{1}{n} \sum_{i=1}^n R(\pi_i^n(a^1, \dots, a^n)) = \frac{1}{n} \sum_{i=1}^n R(a^i).$$

Proposition (Bodirsky, S., Lutz '24)

If $\text{Aut}(\Gamma)$ is *oligomorphic* and $R \in \langle \Gamma \rangle$, then $\text{fPol}(\Gamma)$ *improves* R .

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs**
- 4 Resilience problems
- 5 Outlook to the future

Definition

A relational structure \mathfrak{A} is

- an **equality structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; =)$ \Leftrightarrow
 $\text{Aut}(\mathfrak{A}) = \text{Aut}(\mathbb{Q}; =) = \text{Sym}(\mathbb{Q})$;

Equality and temporal valued structures

Definition

A relational structure \mathfrak{A} is

- an **equality structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; =) \Leftrightarrow \text{Aut}(\mathfrak{A}) = \text{Aut}(\mathbb{Q}; =) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; <) \Leftrightarrow \text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\mathfrak{A})$.

Equality and temporal valued structures

Definition

A relational structure \mathfrak{A} is

- an **equality structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; =) \Leftrightarrow \text{Aut}(\mathfrak{A}) = \text{Aut}(\mathbb{Q}; =) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; <) \Leftrightarrow \text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\mathfrak{A})$.

A valued structure Γ is

- an **equality structure** if $\text{Aut}(\Gamma) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if $\text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\Gamma)$.

Equality and temporal valued structures

Definition

A relational structure \mathfrak{A} is

- an **equality structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; =) \Leftrightarrow \text{Aut}(\mathfrak{A}) = \text{Aut}(\mathbb{Q}; =) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; <) \Leftrightarrow \text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\mathfrak{A})$.

A valued structure Γ is

- an **equality structure** if $\text{Aut}(\Gamma) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if $\text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\Gamma)$.

Example:

- **equality**: $(\mathbb{Q}; (=)_0^1, (\neq)_0^1)$ (models **least correlation clustering**)

Equality and temporal valued structures

Definition

A relational structure \mathfrak{A} is

- an **equality structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; =) \Leftrightarrow \text{Aut}(\mathfrak{A}) = \text{Aut}(\mathbb{Q}; =) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if \mathfrak{A} is **fo-definable** in $(\mathbb{Q}; <) \Leftrightarrow \text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\mathfrak{A})$.

A valued structure Γ is

- an **equality structure** if $\text{Aut}(\Gamma) = \text{Sym}(\mathbb{Q})$;
- a **temporal structure** if $\text{Aut}(\mathbb{Q}; <) \subseteq \text{Aut}(\Gamma)$.

Example:

- **equality**: $(\mathbb{Q}; (=)_0^1, (\neq)_0^1)$ (models **least correlation clustering**)
- **temporal**: $(\mathbb{Q}; (<)_0^1)$ (models **minimum feedback arc set problem**)

Classification of equality VCSPs

Known for CSPs:

Theorem (Bodirsky, Kára '08)

If \mathfrak{A} is an *equality* relational structure, then exactly one of the following:

- $\text{Pol}(\mathfrak{A})$ contains a unary *constant* operation or a *binary injection* and $\text{CSP}(\mathfrak{A})$ is in *P*.
- \mathfrak{A} *pp-constructs* K_3 and $\text{CSP}(\mathfrak{A})$ is *NP-complete*.

Classification of equality VCSPs

Known for CSPs:

Theorem (Bodirsky, Kára '08)

If \mathfrak{A} is an *equality* relational structure, then exactly one of the following:

- $\text{Pol}(\mathfrak{A})$ contains a unary *constant* operation or a *binary injection* and $\text{CSP}(\mathfrak{A})$ is in P .
- \mathfrak{A} *pp-constructs* K_3 and $\text{CSP}(\mathfrak{A})$ is *NP-complete*.

Theorem (Bodirsky, Bonnet, S. '24)

If Γ is an *equality* valued structure, then exactly one of the following:

- $\text{fPol}(\Gamma)$ contains a unary *constant* operation or a *binary injection* and $\text{VCSP}(\Gamma)$ is in P .
- Γ *pp-constructs* K_3 and $\text{VCSP}(\Gamma)$ is *NP-complete*.

↪ the considered probability distributions put all weight on one operation

Theorem (Bodirsky, Kára '10)

Let \mathfrak{A} be a *temporal* relational structure. Then exactly one of the following holds:

- At least one of the operations const , min , mx , mi , ll , or one of their duals lies in $\text{Pol}(\mathfrak{A})$ and $\text{CSP}(\mathfrak{A})$ is *P*.
- \mathfrak{A} *pp-constructs* K_3 and $\text{CSP}(\mathfrak{A})$ is *NP-complete*.

Classification of temporal CSPs

Theorem (Bodirsky, Kára '10)

Let \mathfrak{A} be a *temporal* relational structure. Then exactly one of the following holds:

- At least one of the operations const , min , mx , mi , ll , or one of their duals lies in $\text{Pol}(\mathfrak{A})$ and $\text{CSP}(\mathfrak{A})$ is *P*.
- \mathfrak{A} *pp-constructs* K_3 and $\text{CSP}(\mathfrak{A})$ is *NP-complete*.

\hookrightarrow const is the unary constant 0 operation

\hookrightarrow the remaining polymorphisms are tailored to the structure $(\mathbb{Q}; <)$

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

essentially crisp valued structure – every relation attains ≤ 1 finite value

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

essentially crisp valued structure – every relation attains ≤ 1 finite value

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a temporal valued structure. Then at least one of the following:

- Γ pp-constructs K_3 and $\text{VCSP}(\Gamma)$ is NP-complete.

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

essentially crisp valued structure – every **relation** attains ≤ 1 **finite value**

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a **temporal** valued structure. Then at least one of the following:

- Γ **pp-constructs** K_3 and $\text{VCSP}(\Gamma)$ is **NP-complete**.
- Γ is **essentially crisp**, $\text{fPol}(\Gamma)$ contains min , mx , mi , ll , or one of their **duals**, and $\text{VCSP}(\Gamma)$ is in **P**.

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

essentially crisp valued structure – every **relation** attains ≤ 1 **finite value**

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a **temporal** valued structure. Then at least one of the following:

- Γ **pp-constructs** K_3 and $\text{VCSP}(\Gamma)$ is **NP-complete**.
- Γ is **essentially crisp**, $\text{fPol}(\Gamma)$ contains min , mx , mi , ll , or one of their **duals**, and $\text{VCSP}(\Gamma)$ is in **P**.
- $\text{const} \in \text{fPol}(\Gamma)$ and $\text{VCSP}(\Gamma)$ is in **P**.

Temporal valued structures

$\text{lex} : \mathbb{Q}^2 \rightarrow \mathbb{Q}$ is an operation satisfying

$$\text{lex}(a, b) < \text{lex}(c, d) \text{ iff } a < c \text{ or } (a = c) \wedge b < d$$

Remark: $\text{lex} \in \text{Pol}(\mathfrak{A})$ does not imply tractability of $\text{CSP}(\mathfrak{A})$!

essentially crisp valued structure – every **relation** attains ≤ 1 **finite value**

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a **temporal** valued structure. Then at least one of the following:

- Γ **pp-constructs** K_3 and $\text{VCSP}(\Gamma)$ is **NP-complete**.
- Γ is **essentially crisp**, $\text{fPol}(\Gamma)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in **P**.
- $\text{const} \in \text{fPol}(\Gamma)$ and $\text{VCSP}(\Gamma)$ is in **P**.
- $\text{lex} \in \text{fPol}(\Gamma)$, $\text{Pol}(\mathbb{Q}; \langle \Gamma \rangle_0^\infty)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in **P**.

Classification of temporal VCSPs

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a *temporal* valued structure. Then at least one of the following:

- Γ *pp-constructs* K_3 and $\text{VCSP}(\Gamma)$ is *NP-complete*.
- Γ is *essentially crisp*, $\text{fPol}(\Gamma)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in *P*.
- $\text{const} \in \text{fPol}(\Gamma)$ and $\text{VCSP}(\Gamma)$ is in *P*.
- $\text{lex} \in \text{fPol}(\Gamma)$, $\text{Pol}(\mathbb{Q}; \langle \Gamma \rangle_0^\infty)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in *P*.

Corollary (non-trivial): The *complexity* of $\text{VCSP}(\Gamma)$ is *determined* by the complexity of $\text{CSP}(\mathbb{Q}; \langle \Gamma \rangle_0^\infty)$.

Classification of temporal VCSPs

Theorem (Bodirsky, Bonnet, S. '24)

Let Γ be a *temporal* valued structure. Then at least one of the following:

- Γ *pp-constructs* K_3 and $\text{VCSP}(\Gamma)$ is *NP-complete*.
- Γ is *essentially crisp*, $\text{fPol}(\Gamma)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in *P*.
- $\text{const} \in \text{fPol}(\Gamma)$ and $\text{VCSP}(\Gamma)$ is in *P*.
- $\text{lex} \in \text{fPol}(\Gamma)$, $\text{Pol}(\mathbb{Q}; \langle \Gamma \rangle_0^\infty)$ contains min , mx , mi , ll , or one of their duals, and $\text{VCSP}(\Gamma)$ is in *P*.

Corollary (non-trivial): The *complexity* of $\text{VCSP}(\Gamma)$ is *determined* by the complexity of $\text{CSP}(\mathbb{Q}; \langle \Gamma \rangle_0^\infty)$.

Corollary (of the proof): Given a temporal valued structure Γ , it is *decidable* whether $\text{VCSP}(\Gamma)$ is in *P* or *NP-complete*.

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs
- 4 Resilience problems**
- 5 Outlook to the future

Resilience of queries

database – a relational structure \mathfrak{A}

conjunctive query – a formula q of the form $\exists y_1, \dots, y_l (\psi_1 \wedge \dots \wedge \psi_m)$,
where ψ_i are atomic

Resilience of queries

database – a relational structure \mathfrak{A}

conjunctive query – a formula q of the form $\exists y_1, \dots, y_l (\psi_1 \wedge \dots \wedge \psi_m)$,
where ψ_i are atomic

Definition (resilience)

Fixed conjunctive query q .

Input: a finite database \mathfrak{A} , $u \in \mathbb{N}$

Output: Can we **remove** $\leq u$ **tuples** from relations of \mathfrak{A} so that $\mathfrak{A} \not\models q$?

Appears first in [Meliou, Gatterbauer, Moore, Suciu '10].

Resilience of queries

database – a relational structure \mathfrak{A}

conjunctive query – a formula q of the form $\exists y_1, \dots, y_l (\psi_1 \wedge \dots \wedge \psi_m)$, where ψ_i are atomic

Definition (resilience)

Fixed conjunctive query q .

Input: a finite database \mathfrak{A} , $u \in \mathbb{N}$


Output: Can we remove $\leq u$ tuples from relations of \mathfrak{A} so that $\mathfrak{A} \not\models q$?

Appears first in [Meliou, Gatterbauer, Moore, Suciu '10].

Example: The resilience of

$$q = \exists x, y, z (R(x, y) \wedge R(y, z))$$

with respect to \mathfrak{A} is 1 – remove (C, E) .



Resilience of queries

database – a relational structure \mathfrak{A}

conjunctive query – a formula q of the form $\exists y_1, \dots, y_l (\psi_1 \wedge \dots \wedge \psi_m)$, where ψ_i are atomic

Definition (resilience)

Fixed conjunctive query q .

Input: a finite database \mathfrak{A} , $u \in \mathbb{N}$

Output: Can we remove $\leq u$ tuples from relations of \mathfrak{A} so that $\mathfrak{A} \not\models q$?


Appears first in [Meliou, Gatterbauer, Moore, Suciu '10].

Example: The resilience of


$$q = \exists x, y, z (R(x, y) \wedge R(y, z))$$

with respect to \mathfrak{A} is 1 – remove (C, E) .

Goal: Classify complexity of resilience for all q .



Homomorphism duality

Example (canonical structure): $\exists x, y(R(x, y) \wedge S(y)) \rightsquigarrow$ 


For a query q , take its canonical structure Ω .

Search for a structure \mathfrak{B}_q such that for every finite \mathfrak{A} :

$$\mathfrak{A} \not\models q \Leftrightarrow \Omega \not\rightarrow \mathfrak{A} \Leftrightarrow \mathfrak{A} \rightarrow \mathfrak{B}_q$$

\rightsquigarrow corresponds to $\text{CSP}(\mathfrak{B}_q)$ (if we represent the constraints by their canonical structure)

Homomorphism duality

Example (canonical structure): $\exists x, y(R(x, y) \wedge S(y)) \rightsquigarrow$ 

For a query q , take its canonical structure Ω .

Search for a structure \mathfrak{B}_q such that for every finite \mathfrak{A} :


$$\mathfrak{A} \not\models q \Leftrightarrow \Omega \not\rightarrow \mathfrak{A} \Leftrightarrow \mathfrak{A} \rightarrow \mathfrak{B}_q$$

\rightsquigarrow corresponds to $\text{CSP}(\mathfrak{B}_q)$ (if we represent the constraints by their canonical structure)

Example: For every finite directed graph G we have:

$$\begin{array}{c} \uparrow \\ \uparrow \not\rightarrow G \Leftrightarrow G \rightarrow \uparrow \end{array}$$

Homomorphism duality

Example (canonical structure): $\exists x, y(R(x, y) \wedge S(y)) \rightsquigarrow$ 

For a **query** q , take its **canonical structure** Ω .

Search for a structure \mathfrak{B}_q such that for **every finite** \mathfrak{A} :

$$\mathfrak{A} \not\models q \Leftrightarrow \Omega \not\rightarrow \mathfrak{A} \Leftrightarrow \mathfrak{A} \rightarrow \mathfrak{B}_q$$

\rightsquigarrow corresponds to **CSP**(\mathfrak{B}_q) (if we represent the constraints by their canonical structure)


Example: For every finite directed graph G we have:

$$\uparrow \not\rightarrow G \Leftrightarrow G \rightarrow \uparrow$$

\rightsquigarrow existence of \mathfrak{B}_q enables studying **resilience** of q using the results about **(valued) constraint satisfaction problems**


Existence of dual structures

Example (incidence graph): $q := \exists x, y, z(R(x, y) \wedge R(y, z))$



Existence of dual structures

Example (incidence graph): $q := \exists x, y, z(R(x, y) \wedge R(y, z))$




Theorem (Nešetřil, Tardiff '00; Larose, Loten, Tardiff '07)

A conjunctive query q has a *finite dual* if and only if it is homomorphically equivalent to q' such that $I(q')$ is a *tree*.

Existence of dual structures

Example (incidence graph): $q := \exists x, y, z (R(x, y) \wedge R(y, z))$



Theorem (Nešetřil, Tardiff '00; Larose, Loten, Tardiff '07)

A conjunctive query q has a *finite dual* if and only if it is homomorphically equivalent to q' such that $I(q')$ is a *tree*.

Theorem (Cherlin, Shelah, Shi '99)

If $I(q)$ is *connected*, then q has a countable dual \mathfrak{B}_q , which can be chosen so that $\text{Aut}(\mathfrak{B}_q)$ is *oligomorphic*.

Connection of resilience and VCSPs

query q with $I(q)$ connected (WLOG) \rightsquigarrow obtain the dual structure $\mathfrak{B}_q \rightsquigarrow$
turn it into a valued structure Γ_q with cost functions taking values 0 and 1

Connection of resilience and VCSPs

query q with $I(q)$ **connected** (WLOG) \rightsquigarrow obtain the **dual structure** $\mathfrak{B}_q \rightsquigarrow$ turn it into a **valued structure** Γ_q with cost functions taking values 0 and 1

Theorem (Bodirsky, S., Lutz '24)

*The **resilience** problem for q equals $\text{VCSP}(\Gamma_q)$.*

Connection of resilience and VCSPs

query q with $I(q)$ connected (WLOG) \rightsquigarrow obtain the dual structure $\mathfrak{B}_q \rightsquigarrow$ turn it into a valued structure Γ_q with cost functions taking values 0 and 1

Theorem (Bodirsky, S., Lutz '24)

The resilience problem for q equals $\text{VCSP}(\Gamma_q)$.

Remark: We have to consider bag databases – a database \mathfrak{A} might contain a tuple with multiplicity > 1 (differs from the original setting).

Example: Input $R(x, y) + R(x, y)$ for $\text{VCSP}(\Gamma)$ corresponds to a database with multiplicity 2 for $R(x, y)$.

Connection of resilience and VCSPs

query q with $I(q)$ connected (WLOG) \rightsquigarrow obtain the dual structure $\mathfrak{B}_q \rightsquigarrow$ turn it into a valued structure Γ_q with cost functions taking values 0 and 1

Theorem (Bodirsky, S., Lutz '24)

The resilience problem for q equals $\text{VCSP}(\Gamma_q)$.

Example: $q := \exists x, y, z(R(x, y) \wedge R(y, z))$

For every finite G :

$$\Omega = \begin{array}{c} \uparrow \\ \vdash \\ \uparrow \end{array} \not\rightarrow G \Leftrightarrow G \rightarrow \begin{array}{c} \uparrow \\ \vdash \\ \uparrow \end{array} = \mathfrak{B}_q$$

$\mathfrak{B}_q \rightsquigarrow \Gamma_{\text{MC}} = (\{0, 1\}; R)$

Resilience of $q = \text{VCSP}(\Gamma_{\text{MC}}) = \text{Max-Cut}$ is NP-hard

Connection of resilience and VCSPs

query q with $I(q)$ **connected** (WLOG) \rightsquigarrow obtain the **dual structure** $\mathfrak{B}_q \rightsquigarrow$ turn it into a **valued structure** Γ_q with cost functions taking values 0 and 1

Theorem (Bodirsky, S., Lutz '24)

The **resilience** problem for q equals **VCSP**(Γ_q).

Combined with the theorem on **finite duals** and the **complexity dichotomy for finite-domain VCSPs** this yields:

Corollary (Bodirsky, S., Lutz '24)

Let q be a conjunctive query such that $I(q)$ is **acyclic**. Then the resilience problem for q in **bag semantics** is in **P** or **NP-complete**.

Sufficient condition for tractability

A more concrete version of the finite-domain VCSP dichotomy:

Theorem

Γ – a *finite-domain* valued structure

- If Γ does not pp-construct K_3 , then Γ has *cyclic fractional polymorphism* (essentially [Kozik, Ochremiak '15]).
- If Γ has a *cyclic fractional polymorphism*, then $\text{VCSP}(\Gamma)$ is in P [Kolmogorov, Krokhin, Rolínek '15].

Sufficient condition for tractability

A more concrete version of the finite-domain VCSP dichotomy:

Theorem

Γ – a *finite-domain* valued structure

- If Γ does not pp-construct K_3 , then Γ has *cyclic fractional polymorphism* (essentially [Kozik, Ochremiak '15]).
- If Γ has a *cyclic fractional polymorphism*, then $\text{VCSP}(\Gamma)$ is in P [Kolmogorov, Krokhin, Rolínek '15].

Theorem (Bodirsky, S., Lutz '24)

If Γ_q has a *fractional polymorphism* which is *canonical* and *pseudo cyclic* with respect to $\text{Aut}(\Gamma_q)$, then $\text{VCSP}(\Gamma_q)$ and hence *resilience* of q is in P .

Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



- **complexity** of resilience of q left **open** in [Freire, Gatterbauer, Immerman, Meliou '20]

Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



- **complexity** of resilience of q left **open** in [Freire, Gatterbauer, Immerman, Meliou '20]
- there is Γ_q with a **canonical** and **pseudo cyclic fractional polymorphism**

Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



- **complexity** of resilience of q left **open** in [Freire, Gatterbauer, Immerman, Meliou '20]
- there is Γ_q with a **canonical** and **pseudo cyclic fractional polymorphism**
- VCSP(Γ_q) and hence the **resilience** of q are **tractable**

Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



- **complexity** of resilience of q left **open** in [Freire, Gatterbauer, Immerman, Meliou '20]
- there is Γ_q with a **canonical** and **pseudo cyclic fractional polymorphism**
- $\text{VCSP}(\Gamma_q)$ and hence the **resilience** of q are **tractable**

Conjecture: If every Γ_q **does not pp-construct** K_3 , then there exists Γ_q to which the **tractability theorem applies**. In this case, $\text{VCSP}(\Gamma_q)$ and hence **resilience** of q is in P .

Tractability conjecture

Example:

$$q := \exists x, y (S(x) \wedge R(x, y) \wedge R(y, x) \wedge R(y, y))$$



- **complexity** of resilience of q left **open** in [Freire, Gatterbauer, Immerman, Meliou '20]
- there is Γ_q with a **canonical** and **pseudo cyclic fractional polymorphism**
- $\text{VCSP}(\Gamma_q)$ and hence the **resilience** of q are **tractable**

Conjecture: If every Γ_q **does not pp-construct** K_3 , then there exists Γ_q to which the **tractability theorem applies**. In this case, $\text{VCSP}(\Gamma_q)$ and hence **resilience** of q is in P .

- the conjecture is **true** for all queries with **finite duals**
- verified also for a lot of examples with cycles

- 1 Introduction to VCSPs
- 2 Tools for VCSPs
- 3 Temporal VCSPs
- 4 Resilience problems
- 5 Outlook to the future

Resilience:

- Classify the **complexity** of **resilience** problems depending on q .
- Prove or disprove the **conjecture**.

Resilience:

- Classify the **complexity** of **resilience** problems depending on q .
- Prove or disprove the **conjecture**.

Graph VCSPs:

- Classify the **complexity** of **VCSPs** of valued structures Γ such that $\text{Aut}(\Gamma)$ contains the automorphism group of the **countable random graph**.
- Is $\text{VCSP}(\Gamma)$ in P whenever Γ **does not pp-construct K_3** ?

Questions:

- If $\text{Aut}(\Gamma)$ is **oligomorphic**, is it true that if a valued relation R on the domain of Γ is **improved by $\text{fPol}(\Gamma)$** , then $R \in \langle \Gamma \rangle$?

Questions:

- If $\text{Aut}(\Gamma)$ is **oligomorphic**, is it true that if a valued relation R on the domain of Γ is **improved by $\text{fPol}(\Gamma)$** , then $R \in \langle \Gamma \rangle$?
- Is it necessary to consider **arbitrary probability distributions** for fractional polymorphisms? Can we restrict to **discrete** (i.e., countably additive) ones?

Thank you for your attention

Funding statement: Funded by the European Union (ERC, POCOCOP, 101071674).

Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Research Council Executive Agency. Neither the European Union nor the granting authority can be held responsible for them.